



Declaration of Compliance to Regulatory Requirements for Paper and Paper Board

Trade name	: FILOBEV 1S & 2S
Product description	: Water & Grease Barrier Coated Paperboard made from Virgin fiber
Coating source	: Water-Based Emulsion Coating
Fiber source	: Virgin fiber
Bleaching	: All pulps used are elementary chlorine free (ECF-pulps)
Producer	: ITC Limited, Paperboards and Specialty papers Division

REMARKS:

This Compliance Certificate contains the following information about the Product

1. Specific instructions for safe and appropriate use
2. Food contact
 - 2.1. Raw Materials
 - 2.2. Analyses/FDA-extractions
 - 2.3. Analyses/ Paper
 - 2.4. RoHS Compliance
 - 2.5. PCP in paper
 - 2.6. Antimicrobial
 - 2.7. Benzophenone in paperboard
 - 2.8. PFOA & PFOS
3. Substances/ Paper
 - 3.1. GMO
 - 3.2. Animal Origin
 - 3.3. BSE
 - 3.4. Food allergens
 - 3.5. Phthalates
 - 3.6. Microbial load
 - 3.7. Mineral oil Migration (MOAH & MOSH)
4. Additional legislation and regulations, not food related
 - 4.1. Packaging and Packaging Waste Directive
 - 4.2. REACH
5. Certified management systems at the production site/sites
6. Storage and handling requirements

Declaration of Compliance

Trade name	FILOBEV (hereafter referred to as barrier coated board)
Product description Barrier-coating	Cupstock Board (Base board grammage Ranges between 170/m ² to 300g/m ²) Barrier Coating is on back side of the board



PAPERBOARDS AND SPECIALTY PAPERS DIVISION

Fiber source
Bleaching
Production site
Producer

Coating weight is depending on specification required for water resistance.
For more information, see technical specification.

Virgin fiber
Pulps used are manufactured through elementary chlorine free (ECF) process
FILOBEV is manufactured at Unit: Bollaram
ITC Limited, Paperboards and Specialty papers Division

010 40 27849589, 010 27896048

Fax: 91 – 40 27842997, 27810009 Exports: 27810034

1. Specific instructions for safe and appropriate use

This barrier coated board is intended for packaging dry, aqueous, acidic, low alcoholic < 5% (v/v) and fatty foodstuffs.

The information given in this certificate is based on written confirmations of our chemical suppliers as well as evaluations and analyses made by and the certificate of compliance given by an independent research laboratory, TUV Labs, Product Certification Services

This barrier coated board is suitable for use under the following conditions of temperature and time. Please also see storage conditions.

- Freezer/fridge (-20°C to 5°C more than 24 hrs)
- Room temperature (up to 40°C for more than 24 hrs)

With aqueous, acidic and fatty foodstuffs at

- Hot-fill (heating up to 70°C for up to 2h or heating up to 100°C for up to 15min)

* It is the responsibility of the packer of the finished packages to ensure that the package is safe to use in the intended conditions (W/min) taking onto account all relevant information e.g. the shape and size of the package and packaged food.

2. Food contact

We hereby declare that the barrier coated board before conversion complies where applicable and under foreseeable conditions of use with the relevant requirements of;

- Regulation (EC) No 1935/2004 on materials on materials and articles intended to come into contact with food
- Regulation (EC) No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food

2.1 Raw materials

Paperboard

For the purpose to achieve high chemical and microbiological purity only virgin fibers and food contact approved chemical additives are used as raw material in the production of paperboard. The pulp and paper manufacturing process conforms to established technology involving the use of chemicals generally recognised as safe. All chemical additives used as raw materials for the paperboard are mentioned in the following regulations. Information below is based on the written confirmation of our chemical suppliers and analysis performed on the paperboard.

The barrier coated paperboard **complies** where applicable and under foreseeable conditions of use with;

- Regulation (EC) No 1935/2004 on materials on materials and articles intended to come into contact with food
- Regulation (EC) No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food
- German BfR Recommendation XXXVI, Paper and board (2023)
- German BfR Recommendation XXXVI/2, Paper and board (2023)
- US FDA CFR 21, §176.170: Paper and Paperboard Components (2010)
- US FDA CFR 21, §176.180: Paper and Paperboard Components (2010)
- Italian Decreto Ministeriale del 21/03/1973 Disciplina igienica degli imballaggi

Florescent whitening agent (FWAs) and Optical Brightening agents (OBA) : NO OBAs and NO FWAs are used in the manufacture of the base board. Our barrier coated board do not transfer any contents to dry solid/wet food when kept in contact with the board.

Barrier layer

All substances used as raw materials for the barrier coating are mentioned where applicable in the following regulations. Information below is based on the written confirmation of our suppliers.



**PAPERBOARDS
AND
SPECIALTY
PAPERS DIVISION**

The substances used in the barrier coating comply with the following regulations:

- Regulation (EC) No 1935/2004 on materials on materials and articles intended to come into contact with food
- Commission Regulation (EC) No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food
- Commission Regulation(EU)10/2011 on plastic materials and articles intended to come into contact with food

In addition, the **Barrier layer** in direct contact with food complies with:

- German BfR Recommendation
- US Food Contact Notification (FCN)

Specific migration limits, SML

Substances used in the barrier coating contain the restrictions and specifications according to Commission Regulation (EU) 10/2011.

Substance	Formulation
Barrier Emulsion Coating	Proprietary

Barrier Coating when used according to good manufacturing practice to fabricate articles to come in contact with food comply with the United States Food & Drugs Administration (FDA) Regulation 21 CFR Ch 1. This information is based upon information given by our chemical supplier. Although Barrier Coating is highly dependent on temperature and environmental conditions, a variety of decomposition products may be present ranging from simple hydrocarbons (methane and propane) to toxic/irritating gases such as Carbon monoxide & dioxide, aldehydes and other organic vapours.

Regulatory and Ecological Information:

The barrier coating disintegrates very easily. It can be recycled using regular repulping technology. It doesn't contain intentionally added compounds of lead, cadmium and chromium. Disposal must be done in accordance with existing regulation. Incineration can be also being considered in some cases.

Occupational Exposure Limits: There are no established limits for Barrier Layer, however dust should be treated as nuisance particulate. OSHA Permissible Exposure Limit (PEL) is 15mg/m³ total dust and 5mg/m³ respirable dust. ACGIH Threshold Limit Value (TLV) is 10mg/m³ total dust.

Respiratory Protection: It is not ordinarily required. (OSHA has established transitional occupational exposure limits in Table Z-1) Refer to 29 CFR 1910.1000 for these transitional limits and requirements for meeting these limits). All this information is based upon information given by our chemical suppliers

2.2 USFDA-Migration Test

The following extractions have been performed on representative samples of **Barrier coated board** according to the FDA 21 CFR §176.170. The limit 0.5 mg/in² stipulated in the FDA 21 CFR § 176.170 is not exceeded.

Simulant	Contact Time	Temperature	Extractives(mg/in²)
Water	2 hours	250°F	<0.5
Water	48 hours	70°F	<0.5
n-heptane	2 hours	150°F	<0.5
n-heptane	30 minutes	150°F	<0.5
n-heptane	2 hours	70°F	<0.5
n-heptane	30 minutes	70°F	<0.5
8% alcohol	2 hours	150°F	<0.5
8% alcohol	48 hours	150°F	<0.5
8% alcohol	2 hours	70°F	<0.5
8% alcohol	48 hours	70°F	<0.5
15% alcohol	2 hours	150°F	<0.5
15% alcohol	48 hours	150°F	<0.5
15% alcohol	2 hours	70°F	<0.5
15% alcohol	48 hours	70°F	<0.5

2.3 Analyses / Paperboard

Heavy metals in paperboard

FILOBEV complies with the requirements in BfR Empfehlungen XXXVI, Paper and Board (2023).



PAPERBOARDS AND SPECIALTY PAPERS DIVISION

Cadmium (Cd)	< 0.1 mg/kg
Mercury (Hg)	< 0.1 mg/kg
Lead (Pb)	< 1 mg/kg
Arsenic	<0.1mg/kg
Antimony	<0.1mg/kg

ITC Limited
PAPERBOARDS & SPECIALTY PAPERS DIVISION
Divisional Headquarters: ITC Bhadrachalam House
106, Sardar Patel Road,
Secunderabad- 500 003, Telangana, India.
Telephone: 91 – 40 – 27846566 – 73, 27814216
Fax: 91 – 40 27842997, 27810009 Exports: 27810034
91 – 40 27849509, 27896048

2.4 PCP in paperboard

The barrier coated paperboard complies with the requirements for pentachlorophenol (PCP) in BfR Empfehlungen XXXVI, Paper and Board (2023). Analyses have been performed on representative board samples for pentachlorophenol (PCP) according to EN ISO 15320. The amount of PCP is < 0.15 mg/kg.

2.5 Antimicrobial test

The barrier coated paperboard fulfils the requirements in BfR XXXVI. Determinations have been performed on representative board samples regarding the transfer of antimicrobial constituents according to EN 1104. There was no inhibition zone detected i.e there was no transfer of antimicrobial constituents. We do not add surface biocides on top of the board which can also be seen in the result.

2.6 Benzophenone in paperboard

The barrier coated paperboard complies with the requirements for benzophenone in BfR Empfehlungen XXXVI (Annexe I). Analysis have been performed on representative board samples for benzophenone. The amount of benzophenone is < 0.1 mg/dm² which is the acceptable limit.

2.7 PFOA & PFOS in paperboard

We do not intentionally add PFOA or PFOS during the time of manufacturing of the paperboard. PFOA is tested as per REACH Annex XVII (effective from 2020), PFOS is tested as EU POP regulation(s), Regulation (EC) No 850/2004, which our products comply.

3. Substances / Paperboard

Intentionally added shall mean deliberately utilized in the formulation of a material or component where its continued presence is desired in the final product to provide a specific characteristic, appearance or quality. Please note that we do not analyse the board for the substances listed below.

3.1 GMO

We hereby confirm that Genetically Modified Organisms (GMO) in accordance with "Environmental site on GMO*" are not intentionally added in the production of board. Our suppliers can however not exclude adventitious and technically unavoidable contamination**. This information is based upon information given by our chemical suppliers.

* http://ec.europa.eu/environment/biotechnology/index_en.htm and
<http://europa.eu/rapid/pressReleasesAction.do?reference=MEMO/04/85&format=HTML&aged=0&language=EN&guiLanguage=en>

** Regulation 1830/2003 on traceability and labeling of GMO; "The adventitious or technically unavoidable presence of GM-crops in conventional crops may occur as a result of seed production, cultivation, harvest, transport and processing. As long as the level of such contamination remains below the current 0.9 % legislative limit, food ingredients can be considered as not being produced from GM raw materials."

3.2 Animal origin

We hereby confirm that no additive of animal origin is intentionally added in the production of board. This information is based upon information given by our chemical suppliers.

3.3 BSE

We hereby confirm that no substances causing Transmissible Spongiform Encephalopathies, TSEs including Bovine spongiform encephalopathy, BSE and CreutzfeldtJakob Disease, JCD is intentionally added in the production of board. This information is based upon information given by our chemical suppliers.

3.4 Phthalates and other Chemicals

We hereby confirm that no phthalates are intentionally added in the production of barrier coated board. This information is based upon information given by our chemical suppliers. There is no addition of chemicals like Bisphenol A, PVC, etc



**PAPERBOARDS
AND
SPECIALTY
PAPERS DIVISION**

ITC Limited
PAPERBOARDS & SPECIALTY PAPERS DIVISION
Divisional Headquarters: ITC Bhadrachalam House
106, Sardar Patel Road,
Secunderabad- 500 003, Telangana, India.
Telephone: 91 – 40 – 27846566 – 73, 27814216
Fax: 91 – 40 27842997, 27810009 Exports: 27810034
91 – 40 27849509, 27896048

3.5 Food allergens

We hereby confirm that, with reference to the US FDA Food Allergen Labelling and Consumer Protection Act (FALCPA) and the EU Directive 2003/89/EC, the following food allergens or products derived thereof are not intentionally added for the manufacture of board:

- Cereals containing gluten and products thereof
- Crustaceans and products thereof
- Eggs and products thereof
- Fish and products thereof
- Peanuts and products thereof
- Soybeans and products thereof
- Milk and products thereof
- Nuts and products thereof
- Celery and products thereof
- Mustard and products thereof
- Sesame seeds and products thereof
- Sulphur dioxide and sulphites at concentrations that may cause transfer from food packaging into food exceeding 10 mg/kg expressed as SO₂.

Consequently, the products may reasonably be expected not to contain allergenic proteins.
This information is based upon information given by our chemical suppliers.

3.6 Mineral oil migration (MOAH and MOSH):

ITC LTD –PSPD does not guarantee any limits on MOAH (Mineral oil aromatic hydrocarbons) and MOSH (Mineral oil saturated hydrocarbons) in this product. It can vary from lot to lot MOAH and MOSH can penetrate and migrate to the paper boards from other sources when suitable and acceptable barrier coatings are not provided. As per latest 3rd party laboratory reports MOAH & MOSH not detected in the board.

4. Additional legislation and regulations, not food related

4.1 Packaging and Packaging Waste Directive

FILOBEV complies with the Packaging and Packaging Waste directive 94/62/EC amended by 2004/12/EC.

- The sum of lead, cadmium, mercury and hexavalent chromium in the board is less than 100 ppm (EN 13428).
- The level of substances hazardous* to the environment in the board is less than 0.1 %(EN 13428).

The board is suitable for recovery by;

- Material recycling (EN 13430)
- Energy recovery (EN 13431)

4.2 REACH

The aim of REACH is to improve the protection of human health and the environment through the better and earlier identification of properties of chemical substances. The REACH regulation gives greater responsibility to industry to manage the risks from chemicals and to provide safety information on the substances. REACH requires an extensive information exchange in the supply chain in order to fulfil all obligations.

Our obligations in REACH are as a downstream user and as a manufacturer of substances and articles. To secure REACH compliance from our suppliers we have included REACH demands in our purchasing agreement. For the substances that we manufacture and where REACH demands registration we have done or we will do the registrations according to the timelines set in the REACH regulation.

5. Certified management systems at the production site/sites

Different Certifications for the Board and Polymer coating are as follows:

Board production

Barrier coating



ISO 9001
ISO 14001
FSC® CoC
BRC

**PAPERBOARDS
AND
SPECIALTY
PAPERS DIVISION**

ITC Limited
PAPERBOARDS & SPECIALTY PAPERS DIVISION
Divisional Headquarters: ITC Bhadrachalam House
106, Sardar Patel Road,
Secunderabad- 500 003, Telangana, India.
Telephone: 91 – 40 – 27846566 – 73, 27814216
Fax: 91 – 40 27842997, 27810009 Exports: 27810034
ISO 9001:2015 27849509, 27896048
ISO 14001

6. Storage and handling requirements

In order to secure/ensure product safety the product must be well wrapped and stored indoor, sheltered from rain and snow. The recommended storage conditions are at 55-65 % relative humidity and 20-25° C. We recommend consumption within 12 months from manufacturing date and after this time rights of claims normally disappear.


Disclaimer

It is the responsibility of the manufacturer of the finished packages to ensure that products fabricated from material manufactured by us meet all relevant regulatory and legislative requirements, specifications and limitations in the intended application. This certificate and its contents are subject to the following additional limitations and disclaimers:

- Based on reasonable investigations, the information set out herein is accurate to our current knowledge only. We take no responsibility for information that has been provided to us by our suppliers and on which we have relied when producing the information contained herein.
- This certificate is only valid as of its date of publication and, for the avoidance of doubt, we assume no liability for subsequent changes in information, contents, processes, regulatory requirements or otherwise
- This certificate is only valid to the extent it has been signed and delivered by an authorized employee of the ITC Ltd-PSPD group.
- Nothing in this certificate shall be interpreted as a warranty (direct or implied) with respect to (a) anything beyond what is expressly set out herein, (b) the merchantability or fitness for a particular purpose, (c) the use, or the suitability for use, in connection with other products or materials, or (e) the safety or legality in any use, processing and handling of our products.
- This certificate forms an integral part of the delivery contract between us and the addressee and any limitations of liability set out in such delivery contract shall apply to this certificate.
- No one other than the addressee may rely on this certificate and we assume no liability whatsoever to any third party

01st Nov 2024

ITC Ltd-PSPD
Unit:Bollaram
Anrich Industrial Estate
Bollaram-502 325
Andhra Pradesh, India .
Tel 91-8458-279483-54
Fax 91-8458-279462


Mohammed Gouse
Chief Manager – Product Development
ITC Ltd-PSPD
6th Floor Sattva Signature Tower,
Road no.1 Banjara Hills, Hyderabad
Telangana – 500034, India
Tel: 91-40-40096257
Mob: +91 9676186824

LAST REVIEWED: 18-09-2025