



Declaration of Compliance to Regulatory Requirements for Paper and Paper Board

Trade name	:	Cyber XL Pac (BXHS)
Product description	:	Coated Folding Box Board (GC1)
Base board grammage	:	200 g/m ² to 450 g/m ²
Coating	:	Board is double coated on the top side For more information, see technical specification.
Fiber source	:	Virgin fiber
Bleaching	:	All pulps used are elementary chlorine free (ECF-pulps)
Production site	:	Cyber XL Pac is manufactured at unit: Bhadrachalam
Producer	:	ITC Limited, Paperboards and Specialty papers Division

REMARKS:

This Compliance Certificate contains the following information about the Product

- 1. Specific instructions for safe and appropriate use**
- 2. Food contact**
 - 2.1. Raw Materials**
 - 2.2. Analyses/FDA-extractions**
 - 2.3. Analyses/ Paperboard**
 - 2.4. RoHS Compliance**
 - 2.5. PCP in paperboard**
 - 2.6. Antimicrobial test**
 - 2.7. Dioxin in paperboard**
 - 2.8. Poly –Aromatic Hydrocarbons(PAHs)**
 - 2.9. Benzophenone in paperboard**
 - 2.10. Color Migration & Bleeding Fluorescent Brightening Agent/Optical Brightening Agent**
- 3. Substances/ Paperboard**
 - 3.1. GMO**
 - 3.2. Animal Origin**
 - 3.3. BSE**
 - 3.4. Food allergens**
 - 3.5. Phthalates**
 - 3.6. Mineral oil Migration (MOAH & MOSH)**
 - 3.7. Bisphenol-A**
 - 3.8. PFOA (Perfluorooctanoic acid)/PFOS (Perfluorooctane Sulfonate)**
- 4. Additional legislation and regulations, not food related**
 - 4.1. Packaging and Packaging Waste Directive**
 - 4.2. REACH**
- 5. Certified management systems at the production site/sites**
- 6. Storage and handling requirements**

1. Specific instructions for safe and appropriate use

Cyber XL Pac is intended for packaging dry foodstuffs, aqueous, acidic, low alcoholic < 5% (v/v) and fatty foodstuffs.



PAPERBOARDS AND SPECIALTY PAPERS DIVISION

The information given in this certificate is based on written confirmations of our chemical suppliers as well as evaluations and analyses made by and the certificate of compliance given by an independent research laboratory, TUV labs, Product Certification Services.

Please note that the top clay coated side of the board is suitable for printing and is generally not intended for contact with any food.

Cyber XL Pac is suitable for use under the following conditions of temperature and time. Please also see storage conditions.

- Freezer/fridge (-20°C to 5°C more than 24 hrs)
- Room temperature (up to 40°C for more than 24 hrs)

With aqueous, acidic and fatty foodstuffs also

- Hot-fill (heating up to 70°C for up to 2h or heating up to 100°C for up to 15min)
- Microwave oven *

* It is the responsibility of the packer of the finished packages to ensure that the package is safe to use in the intended conditions (W/min) taking into account all relevant information e.g. the shape and size of the package and packaged food.

2. Food contact

We hereby declare that the Cyber XL Pac before conversion complies where applicable and under foreseeable Conditions of use with the relevant requirements of;

Regulation (EC) No 1935/2004 on materials on materials and articles intended to come into contact with food

Regulation (EC) No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food

2.1 Raw materials

Paperboard

For the purpose to achieve high chemical and microbiological purity only virgin fibers and food contact approved chemical additives are used as raw material in the production of paperboard. The pulp and paper manufacturing process conforms to established technology involving the use of generally recognized chemicals. All chemical additives used as raw materials for the paperboard are mentioned in the following regulations. Information below is based on the written confirmation of our chemical suppliers and analysis performed on the paperboard.

The **paperboard** complies where applicable and under foreseeable conditions of use with;

- Regulation (EC) No 1935/2004 on materials on materials and articles intended to come into contact with food
- Regulation (EC) No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food
- German BfR Recommendation XXXVI, Paper and board (2023)
- German BfR Recommendation XXXVI/2, Paper and board (2023)
- US FDA CFR 21, §176.170: Paper and Paperboard Components (2010)
- US FDA CFR 21, §176.180: Paper and Paperboard Components (2010)
- Italian Decreto Ministeriale del 21/03/1973 Disciplina igienica degli imballaggi

Fluorescent whitening agents

We hereby confirm that fluorescent whitening agents or optical brightening agents are added in the production of the board.

2.2 Analyses / FDA-extractions

FDA-extractions



Enduring Value

PAPERBOARDS AND SPECIALTY PAPERS DIVISION

The following extractions have been performed on representative samples of **Cyber XL Pac** to meet the FDA 21 CFR §176.170 and 176.180 and BfR 36 BGVV Guidelines. The limits stipulated in the FDA 21 CFR § 176.170 and 180, BfR 36 BGVV have not exceeded.

Simulant	Contact Time	Temperature	Extractives(mg/in ²)	LOQ (mg/in ²)
Water	2 hours	250°F	<0.5	≤ 0.5
Water	48 hours	70°F	<0.5	≤ 0.5
n-heptane	2 hours	150°F	<0.5	≤ 0.5
n-heptane	30 minutes	150°F	<0.5	≤ 0.5
n-heptane	2 hours	70°F	<0.5	≤ 0.5
n-heptane	30 minutes	70°F	<0.5	≤ 0.5
10 % alcohol	2 hours	150°F	<0.5	≤ 0.5
10 % alcohol	48 hours	150°F	<0.5	≤ 0.5
10 % alcohol	2 hours	70°F	<0.5	≤ 0.5
20 % alcohol	48 hours	70°F	<0.5	≤ 0.5
20 % alcohol	2 hours	150°F	<0.5	≤ 0.5
50 % alcohol	2 hours	150°F	<0.5	≤ 0.5
50 % alcohol	48 hours	70°F	<0.5	≤ 0.5
50 % alcohol	48 hours	70°F	<0.5	≤ 0.5
Acetic Acid	2 hrs	150°C	<0.5	≤ 0.5
Acetic Acid	48 hrs	70°C	<0.5	≤ 0.5

2.3 Analyses / Paperboard

Heavy metals in paperboard

The **Cyber XL Pac** complies with the requirements in BfR Empfehlungen XXXVI, Paper and Board (2023).

Cadmium (Cd)	< 0.1 mg/kg
Mercury (Hg)	< 0.1 mg/kg
Lead (Pb)	< 1 mg/kg
Arsenic (As)	< 0.1mg/kg
Antimony (Sb)	< 0.1mg/kg
Hexavalent Chromium	< 0.5mg/Kg
Tin	< 1mg/Kg
Tungsten	< 1mg/Kg
Gold	< 1mg/kg

2.4 RoHS Compliance

The **paperboard** complies with the requirements of **RoHS Directive 2011/65/EU**.

2.5 PCP in paperboard

The **paperboard** complies with the requirements for pentachlorophenol (PCP) in BfR Empfehlungen XXXVI, Paper and Board (2023). Analyses have been performed on representative board samples for pentachlorophenol (PCP) according to EN ISO15320. The amount of PCP is < 0.15 mg/kg which is the acceptable limit.

2.6 Antimicrobial test

The **paperboard** fulfils the requirements in BfR XXXVI. Determinations have been performed on representative board samples regarding the transfer of antimicrobial constituents according to EN 1104. There was no inhibition zone detected i.e. there was no transfer of antimicrobial constituents. We do not add surface biocides on top of the board which can also be seen in the result.

2.7 Dioxin in paperboard

The content of polychlorinated dibenzo-p-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) expressed in World Health Organization (WHO) and NATO/CCMS toxic equivalents in paperboard are below 1 ng/kg board. The **paperboard** does not contain "dioxin-like" coplanar polychlorinated biphenyls (PCBs) above 0.1mg/dm² board.

2.8 Poly-Aromatic Hydrocarbons

We hereby confirm that Poly-Aromatic Hydrocarbons (PAHs) is neither intentionally added in the production of Cyber XL Pac (BXHS) nor detected during testing as per AfPS GS 2014:01 PAK, Paper and Board Regulation intended to be put in the mouth or materials of toys with intended long-term skin contact (Longer than 30s) by 3rd-party laboratory

2.9 Benzophenone in paperboard



Enduring Value

PAPERBOARDS AND SPECIALTY PAPERS DIVISION

The **paperboard** complies with the requirements for benzophenone in BfR Empfehlungen XXXVI(Annexe I). Analysis have been performed on representative board samples for benzophenone. The amount of benzophenone is $< 0.1 \text{ mg/dm}^2$ which is the acceptable limit.

2.10 Color Migration & Bleeding Fluorescent Whitening Agents/Optical Brightening Agents

The **paperboard** complies Color migration testing based on 24TH Communication on the testing of plastics, as specified in BfR Recommendation IX (Bundesgesundheitsblatt 15(1972) 285), which uses total of four food stimulant at 50degC for 5hours. The **paperboard** also complies Bleeding FWA/OBA testing as per EN648:2006 under BfR XXXVI.

3. Substances / Paperboard

Intentionally added shall mean deliberately utilized in the formulation of a material or component where its continued presence is desired in the final product to provide a specific characteristic, appearance or quality. Please note that we do not analyse the board for the substances listed below.

Nano Material: No Nano material is used in the manufacture of the product

3.1 GMO

We hereby confirm that genetically Modified Organisms (GMO) in accordance with “Environmental site on GMO” are **not** intentionally added in the production of board. Our suppliers can however not exclude adventitious and technically unavoidable contamination. This information is based upon information given by our chemical suppliers.

http://ec.europa.eu/environment/biotechnology/index_en.htm and

<http://europa.eu/rapid/pressReleasesAction.do?reference=MEMO/04/85&format=HTML&aged=0&language=EN&guiLanguage=en>

Regulation 1830/2003 on traceability and labeling of GMO; “The adventitious or technically unavoidable presence of GM-crops in conventional crops may occur as a result of seed production, cultivation, harvest, transport and processing. As long as the level of such contamination remains below the current 0.9 % legislative limit, food ingredients can be considered as not being produced from GM raw materials.”

3.2 Animal origin

We hereby confirm that no additive of animal origin is intentionally added in the production of board. This information is based upon information given by our chemical suppliers.

3.3 BSE/TSEs

We hereby confirm that no substances causing Transmissible Spongiform Encephalopathies, TSEs including Bovine spongiform encephalopathy, BSE and CreutzfeldtJakob Disease, JCD is intentionally added in the production of board. This information is based upon information given by our chemical suppliers.

3.4 Food allergens

We hereby confirm that, with reference to the US FDA Food Allergen Labelling and Consumer Protection Act (FALCPA) and the EU Directive 2003/89/EC, the following food allergens or products derived thereof are **not** intentionally added for the manufacture of board:

- Cereals containing gluten and products thereof
- Crustaceans and products thereof
- Eggs and products thereof
- Fish and products thereof
- Peanuts and products thereof
- Soybeans and products thereof
- Milk and products thereof
- Nuts and products thereof
- Celery and products thereof
- Mustard and products thereof
- Sesame seeds and products thereof
- Sulphur dioxide and sulphites at concentrations that may cause transfer from food packaging into food exceeding 10 mg/kg expressed as SO₂.

Consequently, the products may reasonably be expected not to contain allergenic proteins. This information is based upon information given by our chemical suppliers.

3.5 Phthalates and Chemicals under RoHS

We hereby confirm that **no** phthalates and chemicals listed under RoHS are intentionally added in the production of Cyber XL Pac(BCX). This information is based upon information given by our chemical suppliers and tests done on the product.

3.6 Mineral oil migration (MOAH and MOSH):



PAPERBOARDS AND SPECIALTY PAPERS DIVISION

ITC LTD –PSPD does not guarantee any limits on MOAH (Mineral oil aromatic hydrocarbons) and MOSH (Mineral oil saturated hydrocarbons) in this product. It can vary from lot to lot MOAH and MOSH can penetrate and migrate to the paper boards from other sources when suitable and acceptable barrier coatings are not provided.

3.7 Bisphenol-A(BPA):

We hereby confirm that Bisphenol-A is neither intentionally added in the production of Cyber XL Pac(BXHS) nor detected during testing as per BfR Empfehlungen XXXVI, Paper and Board for Regulation EC No: 1907/2006 EU 2015/863 Ammended Annexure II of EU/65/2011 using LC-MS by 3rd-party laboratory.

3.8 PFOA (Perfluorooctanoic acid)/PFOS (Perfluorooctane Sulfonate)

ITC LTD –PSPD confirms that PFOA (Perfluorooctanoic acid)/PFOS (Perfluorooctane Sulfonate) are **not** present in this product. The Paperboard does neither contain any traces of the PFOA/PFOS nor we use this compounds in the process. The test has been conducted as per CEN TS 15968: 08/2010 by 3rd-party laboratory.

4. Additional legislation and regulations, not food related

4.1 Packaging and Packaging Waste Directive

Cyber XL Pac complies with the Packaging and Packaging Waste directive 94/62/EC amended by 2004/12/EC.

- The sum of lead, cadmium, mercury and hexavalent chromium in the board is less than 100 ppm (EN 13428).
- The level of substances hazardous* to the environment in the board is less than 0.1 % (EN 13428).

The board is suitable for recovery by;

- Material recycling (EN 13430)
- Energy recovery (EN 13431)

4.2 REACH (as per Nov2024 updated candidate list)

The aim of REACH is to improve the protection of human health and the environment through the better and earlier identification of properties of chemical substances. The REACH regulation gives greater responsibility to industry to manage the risks from chemicals and to provide safety information on the substances. REACH requires an extensive information exchange in the supply chain in order to fulfil all obligations.

Our obligations in REACH are as a downstream user and as a manufacturer of substances and articles. To secure REACH compliance from our suppliers we have insisted on compliance to REACH. For the substances that we manufacture and where REACH demands registration we have done or we will do the registrations according to the timelines set in the REACH regulation.

Cellulose pulp is defined as a substance and exempted from registration according to appendix IV. Our paper and board grades are defined as articles without intended release according to REACH. Consequently, this means that registration doesn't apply for our paper and board grades.

If any of our articles contains above 0.1% (w/w) of a Substance of Very High Concern that will be published on the [Candidate List](#) we will inform you as REACH requires. We continuously follow the development of the Candidate List and the substances for authorization. To our knowledge today none of our articles contain any Substance of Very High Concern that is on the Candidate List in a concentration above 0.1% (w/w).

5. Certified management systems at the production site/sites

Different Certifications are as follows: *Board production*

ISO 9001
ISO 14001
FSC® CoC
BRC/IOP

6. Storage and handling requirements

In order to secure/ensure product safety the product must be well wrapped and stored indoor, sheltered from rain and snow. The recommended storage conditions are at 55-65 % relative humidity and 20-25° C. We recommend consumption within 12 months from manufacturing date and after this time rights of claims normally disappear.



**PAPERBOARDS
AND
SPECIALTY
PAPERS DIVISION**

Disclaimer

It is the responsibility of the manufacturer of the finished packages to ensure that products fabricated from material manufactured by us meet all relevant regulatory and legislative requirements, specifications and limitations in the intended application. This certificate and its contents are subject to the following additional limitations and disclaimers:

- Based on reasonable investigations, the information set out herein is accurate to our current knowledge only. We take no responsibility for information that has been provided to us by our suppliers and on which we have relied when producing the information contained herein.
- This certificate is only valid as of its date of publication and, for the avoidance of doubt, we assume no liability for subsequent changes in information, contents, processes, regulatory requirements or otherwise.
- This certificate is only valid to the extent it has been signed and delivered by an authorized employee of the ITC Ltd -PSPD group.
- Nothing in this certificate shall be interpreted as a warranty (direct or implied) with respect to (a) anything beyond what is expressly set out herein, (b) the merchantability or fitness for a particular purpose, (c) the use, or the suitability for use, in connection with other products or materials, or (e) the safety or legality in any use, processing and handling of our products.
- This certificate forms an integral part of the delivery contract between us and the addressee and any limitations of liability set out in such delivery contract shall apply to this certificate.
- No one other than the addressee may rely on this certificate and we assume no liability whatsoever to any third party

01st Nov 2024

ITC Ltd-PSPD
Unit: Bhadrachalam
P.B No.4 Sarapaka village
Bhadrachalam-507 128
Tel 91-8764-242331-333
Fax 91-8764-242460

Enduring Value

PAPERBOARDS
AND
SPECIALTY
PAPERS

Mohammed Gouse
Chief Manager – PD
ITC Ltd-PSPD
6th Floor Sattva Signature Tower,
Road no.1 Banjara Hills, Hyderabad
Telangana – 500034, India
Tel: 91-40-40096257
Mob: +91 9676186824

LAST REVIEWED: 18-09-2025